Cosmic

SMOKE
600x1200mm

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

CHALK

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

PEARL

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

IVORY

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

SILVER

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

SMOKE

AVAILABLE SIZES

300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

CHALK

CHALK
600x600mm

CHALK
600x1200mm

Bullnose-Round Edge
400x600mm

20mm Thickness

CHALK
600x600mm
400x600mm

AVAILABLE SIZES

300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

PEARL

PEARL
600x600mm

PEARL
600x1200mm

Bullnose-Round Edge
400x600mm

20mm Thickness

PEARL
600x600mm
400x600mm



AVAILABLE SIZES

300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

IVORY

IVORY
600x600mm

IVORY
600x1200mm

Bullnose-Round Edge
400x600mm

20mm Thickness



IVORY
600x600mm
400x600mm

AVAILABLE SIZES

300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

SILVER



SILVER
600x600mm

SILVER
600x1200mm

Bullnose-Round Edge
400x600mm

20mm Thickness

SILVER
600x600mm
400x600mm

AVAILABLE SIZES

300x300mm
300x600mm
600x600mm
600x1200mm

BULLNOSE ROUND EDGE
400x600mm

SMOKE

SMOKE
600x600mm

SMOKE
600x1200mm



Bullnose-Round Edge
400x600mm

20mm Thickness



SMOKE
600x600mm
400x600mm

SURFACE **APPLICATION** **INSTALLATION GUIDANCE**

M MATTE | URD GRIP WITH MOLD | UD GRIP | WALL TILES | FLOOR TILES | MIN. LAYING GAP 3mm | 05 COLOURS | 05 SIZE | 03 SURFACES

RANDOM FACES

Please note: Tile patterns are random and may not represent exactly as shown in the photo.



PEARL 600x600mm



PEARL 600x1200mm

COLOURS

CHALK

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

Bullnose round edge
400x600mm

PEARL

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

Bullnose round edge
400x600mm

IVORY

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

Bullnose round edge
400x600mm

SILVER

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

Bullnose round edge
400x600mm

SMOKE

AVAILABLE SIZES
300x300mm
300x600mm
600x600mm
600x1200mm

Bullnose round edge
400x600mm

SURFACE **APPLICATION** **INSTALLATION GUIDANCE**

M MATTE | URD GRIP WITH MOLD | UD GRIP | WALL TILES | FLOOR TILES | MIN. LAYING GAP 3mm | 05 COLOURS | 05 SIZE | 03 SURFACES

DECORATION

3D Line Decor

CHALK

PEARL

IVORY

SILVER

SMOKE

IVORY
3D Line Decor

SMOKE
3D Line Decor

PRODUCT FEATURE / SURFACE / APPLICATION / INSTALLATION GUIDANCE

V3			M	URD	UD			05	03
TEXTURE RATING	MIN. LAYING GAP 3mm	RECTIFIED	MATTE	GRIP WITH MOLD	GRIP	WALL TILES	FLOOR TILES	COLOURS	SURFACES



V1 V2 √ V3 V4

V1=Uniform Appearance V2=Slight Variation
V3=Moderate Variation V4=Substantial Variation

TECHNICAL SPECIFICATION

MEASUREMENT AND SURFACE APPEARANCE	STANDARD PRESCRIBED VALUES	MANU FACTURER'S VALUES	MANU FACTURER'S VALUES
Dimensions & Surface Quality			
Length and Width	±0.6% max.	-0.03-0.03%	-0.03-0.03%
Thickness	±5% max.	9.0-9.5mm	11.0-11.5mm
Orthogonality	±0.5% max.	-0.06-0.07%	-0.06-0.07%
Straightness of sides	±0.5% max.	-0.06-0.07%	-0.02-0.03%
Surfaces flatness	±0.5% max.	-0.05-0.07%	-0.09-0.11%
Physical Properties			
Water absorption	⩽0.5%	⩽0.5%	⩽0.5%
Breaking strength	⩾1300N	2265N	4031N
Bending resistance	⩾35N/mm²	38N/mm²	40N/mm²
Resistance to deep abrasion	≤175mm³	Class 4	Class 4
Temperature shock resistance	No visible crack 没有明顯裂紋	No visible crack 没有明顯裂紋	Durable 耐温性好
Resistance to frost	No visible crack 没有明顯裂紋	No visible crack 没有明顯裂紋	No visible crack 没有明顯裂紋
Non-slip	P3-P4	P3-P4	P3-P4
Colour resistance to light	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties			
Chemical resistance	no visible changes when subjected to chemicals 遇化學物質不受影響	Durable 耐化學性能好	Durable 耐化學性能好
Resistance to staining	⩾3	Class 5 5级	Class 5 5級

PACKING DETAILS

SIZES	SURFACE			PCS/CTN	M²/CTN	KG/CTN
	M	URD	UD			
600x600x9.5mm	√	√		4	1.44	31.5
600x1200x10mm	√			2	1.44	32
600x600x20mm			√	2	0.72	32
400x600x20mm			√	2	0.48	22.3